



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of

h. Kameyama et al.

Serial No.: 09/276,807

Group Art Unit: 2644

Filed: March 26, 1999

Examiner: J. F. Harold

For: PORTABLE TELEPHONE TERMINAL WITH TOLL NUMBER FUNCTION

Commissioner for Patents
PO Box 1450
Alexandria, Virginia 22313-1450

RECEIVED

JUN 02 2004

Technology Center 2600


PETITION TO WITHDRAW HOLDING OF ABANDONMENT

A Notice of Abandonment was issued in the above-identified application on May 26, 2004. The undersigned requests the Abandonment of this case be withdrawn in view of the following facts. If any additional fees are required to grant this petition or to gain entry of the Amendment under 37 CFR 1.111 discussed below, the Commissioner is authorized to charge attorney's Deposit Account 50-2041 (Whitham, Curtis & Christofferson).

- 1) Attached hereto is a copy of an Amendment Transmittal Letter, Amendment under 37 CFR 1.111 together with attached substitute specification which were timely filed on August 20, 2003. Also enclosed is a copy of a date stamped receipt from the U.S. Patent Office evidencing the timely filing of the Amendment on August 20, 2003.

It is noted that all information listed on the Amendment Transmittal and the original filed documents corresponding to the case is correct. Further, given that the Amendment and attachments were timely filed, the USPTO should now withdraw the abandonment and reinstate the case to proceed to issuance by the Examiner.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Michael E. Whitham', written over the typed name.

Michael E. Whitham
Registration No. 32,635
703-787-9400 - Phone
703-787-7557 - fax

Whitham, Curtis & Christofferson, PC
11491 Sunset Hills Road, Suite 340
Reston, Virginia 20190

Customer Number 30743

RECEIVED

JUN 02 2004

Technology Center 2600

Docket No. 01680048aa In re: ✓ patent/ trademark application of

Applicant(s) H. Kameyama et al.

Serial No. 09/276,807 Date Filed 3/26/99

Papers filed herewith on 8/20/03

 Fees \$ Deposit Account No. (if applicable)
(filing fee; Assignment charge; Extension of Time;
 issue fee/advance copies; other)

✓ Amendment 111 w/attach. & frms. Notice of Appeal Appeal Brief
 Sheets of Drawings Proposed Drawing Corrections (w/ drawings)
 Change of Address Request for Extension of Time
 Assignment Recordation Form Cover Sheet
 Information Disclosure Statement PTO-1449 and associated art (docs.)
 Priority Document(s) Other

now/10



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
APPLICATION FOR LETTERS PATENT

11
(NE)
B. J.
6/22/04

Title: PORTABLE TELEPHONE TERMINAL WITH TOLL NUMBER
RETRIEVAL FUNCTION

INVENTOR(S): HIDEHIKO KAMEYAMA

PORTABLE TELEPHONE TERMINAL WITH TOLL NUMBER RETRIEVAL FUNCTION

BACKGROUND OF THE INVENTION

The present invention relates to a portable telephone terminal device. More ~~to~~ particularly, this invention relates to a portable telephone terminal device ~~provided with toll number retrieval function.~~

5 Description of the Prior Art

~~Usually, when a caller~~
~~Formerly, when an originating subscriber performs a toll call~~
~~originating using a portable telephone, generally, the originating~~
~~subscriber performs dialing of a virtual subscriber's number after a toll~~
~~number of a place where a communication partner exists. For that reason,~~
10 ~~the originating subscriber, even though, knows an exchange code of a~~
~~virtual destination, when a toll number is unknown, the originating~~
~~subscriber obtains a toll number to be performed dialing due to retrieval~~
~~of a telephone directory or a guide service of a toll number.~~
the caller dials a local number after the
the receiving party
the caller must obtain
dialled from

However, ~~there is problems that when the originating subscriber~~
15 ~~performs a toll call originating using a conventional portable telephone,~~
~~time is required for searching a toll number to be performed dialing, and~~
~~that is complicated, and further time and cost are required.~~
caller
for
dial
adds

Further, for instance, Japanese Patent Application Laid-Open No.
HEI 9-172480 discloses "PORTABLE TELEPHONE". ~~A place name~~
20 ~~information which includes principal communication partners' address~~
~~and toll number corresponding thereto, is stored in RAM (Random Access~~
~~Memory). When the user inputs the place name information (for instance~~
~~YOKOHAMA) by using a keyboard in order to perform a toll call~~
~~originating to a certain communication partner, the toll number ("045")~~
25 ~~corresponding to the place name is displayed on the display means such~~
~~as LCD (Liquid Crystal Display Device) and so forth.~~
With
including
which

Moreover, Japanese Patent Application Laid-Open No. HEI 9-

64960 discloses ^a TELEPHONE NUMBER DISPLAY METHOD AND DEVICE in which the telephone number and its related information are stored in the telephone number table of the telephone as data, ^{and} ~~thus~~ the data ^{is} ~~being~~ displayed ^{as needed} by the display in answer to necessity.

5

SUMMARY OF THE INVENTION

In view of the foregoing, it is an object of the present invention, in order to overcome the above-mentioned problem, to provide a portable telephone terminal with toll number retrieval function in which, in a portable telephone capable of inputting and displaying character, there is a function for retrieving ^{the names} ~~corresponding name~~ of municipalities or toll ^{numbers} ~~number~~ from a telephone number or municipalities inputted beforehand.

According to a first aspect of the present invention, in order to achieve the above-mentioned object, there is provided a portable telephone terminal device which comprises a storage section for storing therein ^{the} name of municipalities and corresponding toll ^{numbers} ~~number~~, a means for retrieving the name of municipalities from the storage section ~~while~~ ^{according to} ~~being taken~~ the toll number inputted from an input means ~~to be a~~ retrieval key, and a means for displaying the name of municipalities which is retrieved.

According to a second aspect of the present invention, ~~in the first aspect~~, there is provided a portable telephone terminal device, which further comprises, a means for retrieving a toll number from the storage section, ^{according to the} ~~while being taken a~~ name of municipalities inputted from the input means ~~to be a~~ retrieval key, and a means for displaying the toll number which is retrieved.

According to a third aspect of the present invention, there is provided a portable telephone terminal device which comprises a state discrimination means for discriminating whether ~~an~~ information inputted from an input means is a toll number or a name of municipalities, a

storage means for storing data of name of municipalities and toll number, a retrieval means, ~~when the toll number is inputted from the input means, retrieves corresponding name of municipalities to the toll number from the storage section, while when the name of municipalities is inputted~~ ^{for retrieving toll numbers or names of municipalities} ~~from the input means, the retrieval means retrieves corresponding toll~~ ^{according to the entered data inputted from data input means} ~~number to the name of municipalities from the storage section, and a display means for displaying data which is retrieved.~~

According to a fourth aspect of the present invention, ~~in the third aspect,~~ there is provided a portable telephone terminal device, wherein it is selected whether he or she inputs a toll number or ^{the} ~~a~~ name of ^{a municipality} ~~municipalities~~ from the input means by the fact that he or she sets the input means to a dialing mode or a character input mode respectively, and the state discrimination means discriminates whether ~~an~~ information inputted from the input means is a toll number or ^{the} ~~a~~ name of ^{a municipality} ~~municipalities~~ while detecting this mode.

According to a fifth aspect of the present invention, ~~in the third aspect,~~ there is provided a portable telephone terminal device, wherein when a predetermined retrieval key is pressed down in the input means, the retrieval means starts retrieval of the storage section with ~~an~~ input information as a retrieval key, while until the retrieval key is pressed down, there is implemented input and editing of numerals or a character code from the input means.

According to a sixth aspect of the present invention, ~~in the third aspect,~~ there is provided a portable telephone terminal device, wherein ^{a municipality} ~~when the retrieval means implements retrieval of the name of a name of municipalities,~~ the retrieval means retrieves name of ^{a municipality} ~~municipalities~~ from telephone number stored in a ^{Call} ~~terminating history function storing therein~~ ^{calling means and outgoing calls and/or from a} ~~telephone number of a call originating side at the time of terminating and/or from~~ telephone number stored in a re-dialing function.

According to a seventh aspect of the present invention, there is

provided a storage medium storing therein a program for executing respective ^{steps} processing (a) to (d) by means of a computer of a portable telephone, which comprises the ^{steps} processing of:

- 5 (a) ~~a processing for~~ discriminating whether ~~an~~ information inputted by an input means is a toll number or ^{the} a name of ^{a municipality} municipalities, while detecting mode of the input means which is set either ^{as} a dialing mode or a character input mode in accordance with the fact that a retrieval is performed by either a toll number or ^{the} a name of ^{a municipality} municipalities,
- 10 (b) ~~a processing for~~ retrieving ^{the name of a municipality} data of corresponding name of municipalities to an inputted toll number from a storage section for storing therein data of ^{the} name of ^{a municipality} municipalities and toll ^{numbers} number when there is judged that a toll number is inputted from the input means, at the case where pressing down of predetermined retrieval key by the input means is detected ~~continuously~~ to input of the toll number,
- 15 (c) ~~a processing for~~ retrieving ^{a toll number corresponding} data of corresponding toll number to an inputted name of ^{a municipality} municipalities from a storage section ~~for~~ storing therein data of ~~name~~ of municipalities and toll ~~number~~ when there is judged that a name of municipalities is inputted from the input means, at the case where pressing down of predetermined retrieval key by the input
- 20 means is detected ~~continuously~~ to input of the name of ^{a municipality} municipalities, and
- (d) ~~a processing for~~ controlling so as to display to ^{retrieved} be outputted data which is retrieved to a display ~~system~~ output device.

25 CONFIGURATION OF ENFORCEMENT OF THE INVENTION

There ~~will be described a configuration of enforcement of the present invention.~~ In the desirable configuration of ^{the invention} enforcement of a ~~portable telephone~~, referring to Fig. 1, there is provided with an input means (1), a state discrimination means (2) for discriminating whether ~~an~~ information inputted from the input means (1) is a ~~telephone number~~ (toll

30

number) or ^{the} a name of ^{a municipality} municipalities, a storage section (4) for storing data of the name of municipalities and the corresponding toll ^{numbers} number, a retrieval means (3) ^{means} for retrieving ^{a municipality} data of the corresponding name of municipalities to the telephone number from the storage section (4) when a telephone number is inputted from the input means (1), ^{means for} while for retrieving corresponding ^{the telephone number} telephone number to the name of ^{inputted} municipalities from the storage section (4) ^{a municipality} when name of municipalities is inputted from the storage section (4), and a display means (5) for displaying data which is retrieved.

10 In the desirable configuration of the enforcement, when an information inputted from the input means (1) is ^a the toll number, a dialing mode is set, ^{when} while an information is the name of ^{a municipality} municipalities, a character input mode is set. The state discrimination means (2) discriminates whether the information inputted from the input means (1) is the toll number or the name of ^{a municipality} municipalities while detecting this mode.

15 In the desirable configuration of the enforcement, when a predetermined retrieval key is pressed down in the input means (1), the retrieval means (3) starts retrieval of the storage section (4) with an input information as a retrieval key, while until the retrieval key is pressed down, input and editing of numerals and character code from the input means (1) are implemented.

20 In the desirable configuration of the enforcement, the retrieval means (3) implements, at the time of retrieval of the name of municipalities, retrieval of telephone number from a telephone number stored in terminating history function for storing therein telephone number of ^{an incoming call} a call originating side at the time of the terminating, or from a telephone number stored in re-dialing function.

25 In the desirable configuration of the enforcement, following each ^{step} processing (a) to (d) can be realized by a program which is executed in the

processing elements (computer) of the control section (10). The program is stored in a storage medium such as ROM (Read Only Memory), Memory Card and so forth. The content of the storage medium is loaded on a memory such as RAM and so forth, thus being executed on the computer.

5 (a) ~~a processing for~~ discriminating whether an information inputted from the input means is a toll number or ^{the} ~~a~~ name of ^{a municipality} ~~municipalities~~, while detecting ^{the} ~~mode~~ of the input means (1), which is set either a dialing mode or a character input mode in answer to either a toll number ~~retrieval~~ or a name of municipalities ~~retrieval~~;

10 (b) ~~a processing for~~ retrieving ^{the} ~~corresponding~~ name of ^{a municipality corresponding} ~~municipalities~~ to the inputted toll number from the storage section (4) storing therein data of the name of ^{a municipality} ~~municipalities~~ and corresponding toll number thereto when ^{it} ~~there~~ is discriminated that the toll number is inputted from the input means (1) since the user inputs the toll number,

15 continuously, the user presses down a predetermined retrieval key;

(c) ~~a processing for~~ retrieving ^{the} ~~corresponding~~ toll number ^{corresponding} ~~to the~~ inputted name of ^{a municipality} ~~municipalities~~ from the storage section (4), storing therein data of the name of ^{a municipality} ~~municipalities~~ and corresponding toll number, thereto when there is discriminated that the name of municipalities is inputted from the input means (1) since the user inputs the name of municipalities, continuously, the presses down a predetermined retrieval key; and

20

(d) ~~a processing for~~ controlling so as to display ^{on} ~~to be outputted~~ the retrieved data ~~to~~ a display device (5).

25 The above and further objects and novel features of the invention will be more fully understood from the following detailed description when the same is read in connection with the accompanying drawings. It should be expressly understood, however, that the drawings are for purpose of illustration only and are not intended as a definition of the

30 limits of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a view showing a configuration of an embodiment of the present invention; and

Fig. 2 is a flowchart showing a processing flow of the embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

A preferred embodiment of the present invention will be described in detail in accordance with the accompanying drawings. Fig. 1 is a view showing a configuration of an embodiment of the present invention. Referring to Fig. 1, a portable telephone terminal with a toll number retrieval function of the present embodiment comprises a key input means 1 for inputting characters and numerals such as telephone ^{numbers} ~~number~~ and ^{names} ~~name~~ of municipalities and so forth, a control section 10 for performing retrieval processing and so forth due to program control, and a display system output device 5 displaying data retrieved by the control section 10.

The control section 10 is provided with a state discrimination means 2 for discriminating whether a character string inputted by the key input means 1 is ^a ~~a~~ telephone number (toll number) or ^{the} ~~a~~ name of ^{a municipality} ~~municipalities~~, a toll number table 4 in which ^{names} ~~data~~ of the ^{names} ~~name~~ of ^{municipalities} ~~municipalities~~ or the toll ^{numbers} ~~number~~ is stored therein, and a table retrieval means for retrieving data of the ^{names} ~~name~~ of ^{municipalities} ~~municipalities~~ or the toll ^{numbers} ~~number~~ stored in the toll number table 4.

Fig. 2 is a flowchart for explaining a processing flow of the embodiment of the present invention, that is, a view showing flowchart of a program incorporated in the control section 10. There will be described operation of the present embodiment of the invention referring to Figs. 1 and 2.

The user of the portable telephone selects whether he retrieves a

toll number or he retrieves a name of municipalities by using the key input means 1. When the user retrieves a toll number, the user inputs the name of ^{a municipality} municipalities of the object (name of place) ~~in order to input the name of municipalities while~~ ^{by} setting a character input mode by the key input means 1 (STEP S1, S2).

When the input of the name of municipalities is completed, the user inputs a retrieval key predetermined beforehand, which is provided for the sake of retrieval at the key input means 1.

In STEP S3, ^{it} ~~there~~ is judged whether or not the retrieval key is pressed down. ^{The presentation} ~~It is capable of being performed~~ ^{by} input of ~~the character~~ ^{characters} and correction thereof by using the key input means 1 until ~~when~~ the retrieval key is pressed down. ~~(NO branch of STEP S3).~~

When ^{it} ~~there~~ is recognized that the retrieval key is pressed down (YES branch of STEP S3), there is implemented retrieval of the toll number (STEP S4).

When corresponding toll number is retrieved (YES branch of STEP S5), there is displayed the toll number retrieved beforehand ^{by} ~~to~~ the display system output device 5 (STEP S6). On the other hand, when the corresponding toll number is not retrieved in the toll number retrieval processing of STEP S4 (NO branch of STEP S5), there is displayed the matter that there is no corresponding data to the display system output device 5 (STEP S7), thus returning to input state of the name of ^{a municipality} ~~municipalities~~, again (STEP S2).

Furthermore, when the user retrieves the name of ^a place, the user inputs the toll number of the object while setting a dialing input mode by using the key input means 1 in order to input the toll number (STEP S1, S8).

When the input of the toll number is completed, the user inputs the retrieval key predetermined beforehand, which is provided for the key input means 1 for retrieval. In STEP S9, there is judged whether or not

the retrieval key is pressed down. It is capable of being performed input and correction of the toll number until when the retrieval key is pressed down (NO branch of STEP S9).

When there is recognized that the retrieval key is pressed down
 5 (YES branch of STEP S9), the retrieval of the name of municipalities is implemented (STEP S10). The portable telephone terminal with toll number retrieval function is constituted that, at this time, it is capable of retrieving the name of ^{a municipality} ~~municipalities~~ from a telephone number stored in function (terminating history) for storing telephone number of a call
 10 originating side at the time of terminating, or a telephone number stored in redialing function.

When the corresponding name of municipalities is retrieved (YES branch of STEP S11), there is displayed the whole name of ^{the municipality} ~~municipalities~~ retrieved beforehand to the display system output device 5 (STEP S12).
 15 On the other hand, ^{if} the corresponding name of municipalities is not retrieved (NO branch of STEP S11), there is displayed that there is no corresponding data therein, on the display system output device 5 (STEP S13), thus returning to input state of a toll number again (STEP S8).

Hereinafter, there will be described ^{the} processing of a retrieval of the
 20 toll number (0495) of Kamikawa Machi (Saitama Prefecture) by way of a retrieval of a toll number. The user inputs Kamikawa Machi while setting a character input mode by using the key input means 1 in order to input Kamikawa Machi (STEP S1, S2). The retrieval of the toll number is implemented while pressing down the retrieval key after inputting (STEP
 25 S3, S4). When the toll number (0495) of Kamikawa Machi is retrieved, (0495) is displayed on the display system output device 5 (STEP S5, S6).

On the other hand, when the toll number can not be retrieved caused by an error of character input or the like, displaying on the display output device that there is no corresponding data therein, thus returning
 30 to character input screen again, subsequently, retrieval is implemented

again after correction of character input (STEP S5, S7, S2).

Next, there will be described processing for retrieving corresponding name of municipalities to (0492) by way of retrieval of a name of municipalities. At this case, the user inputs (0492) while setting mode to dialing input mode by using the key input means 1 in order to input (0492) (STEP S1, S8). There is implemented the retrieval of the name of municipalities while pressing down the retrieval key after dialing input (STEP S9, S10). Then, when the corresponding name of municipalities to (0492) is retrieved, displaying the whole corresponding names of municipalities on the display system output device 5 (STEP S11, S12).

On the other hand, the corresponding name of municipalities can not be retrieved caused by an error of dialing input or the like, there is displayed on the display system out put device 5 that there is no corresponding data, thus returning to the dialing input screen again, subsequently, retrieving again after correction of the error (STEP S11, S13, S8).

The portable telephone of the present embodiment is suitable for use in the case where when the user makes a journey and ~~so forth~~, the user ^{intends} ~~intend~~ to hear a weather forecast ^{for} ~~of~~ the end ^{destination} of his journey.

There will be described another embodiment of the present invention. ~~From February 1998, a postal code is subdivided in a district level of municipalities.~~ When ^{the} function of postal code discrimination, which is used in a post office, is utilized in the toll number retrieval of the present invention, it is capable of ~~being possessed~~ of a postal code retrieval function.

As described above, according to the present invention, when a toll number is unknown although the exchange code is known, the user can obtain the toll number immediately, thus there is the effect that serviceable characteristic of the portable telephone is improved.

Furthermore, according to the present invention, since it is capable of ~~being implemented~~ ^{retrieving numbers} retrieval from a terminating history or a redialing function, the user can retrieve the place where the communication partner ~~performs~~ ^{performed a} call ~~originating~~ and an area to which
5 the partner makes a telephone call.

While preferred embodiments of the invention have been described using specific terms, such description is for illustrative purpose only, and it is to be understood that changes and variations may be made without departing from the spirit or scope of the following claims.

LAW OFFICES
WHITHAM, CURTIS & WHITHAM
A PROFESSIONAL CORPORATION
INTELLECTUAL PROPERTY LAW
11800 SUNRISE VALLEY DRIVE, SUITE 900
RESTON, VIRGINIA 20191

**APPLICATION
FOR
UNITED STATES
LETTERS PATENT**

Applicants: Hidehiko KAMEYAMA
For: PORTABLE TELEPHONE TERMINAL WITH
TOLL NUMBER RETRIEVAL FUNCTION
Docket No.: DP-462US

Substitute Specification:**PORTABLE TELEPHONE TERMINAL WITH TOLL NUMBER RETRIEVAL
FUNCTION****BACKGROUND OF THE INVENTION**

The present invention relates to a portable telephone terminal device. More particularly, this invention relates to a portable telephone terminal device with toll number retrieval.

DESCRIPTION OF THE PRIOR ART

Usually, when a caller performs a toll call using a portable telephone, the caller dials a local number after the toll number of the receiving party. For that reason, the caller, must obtain a toll number to be dialed from a telephone directory or a guide service of a toll number.

However, when the caller performs a toll call using a conventional portable telephone, time is required for searching for a toll number to dial, and adds further time and cost.

Japanese Patent Application Laid-Open No. HEI 9-172480 discloses "PORTABLE TELEPHONE". With place name information including principal communication partners' address and toll number, which is stored in RAM (Random Access Memory). When the user inputs the place name information (for instance YOKOHAMA) by using a keyboard to perform a toll call, the toll number ("045") corresponding to the place name is displayed on the display means such as LCD (Liquid Crystal Display Device) and so forth.

Moreover, Japanese Patent Application Laid-Open No. HEI 9-64960 discloses a TELEPHONE NUMBER DISPLAY METHOD AND DEVICE in which the telephone number and its related information are stored in the telephone number table of the telephone as data, and the data is displayed as needed.

SUMMARY OF THE INVENTION

In view of the foregoing, it is an object of the present invention, in order to overcome the above-mentioned problem, to provide a portable telephone terminal with toll number retrieval function in which, in a portable telephone capable of inputting and displaying character, there is a function for retrieving the names of

municipalities or toll numbers from a telephone number or municipalities inputted beforehand.

According to a first aspect of the present invention, in order to achieve the above-mentioned object, there is provided a portable telephone terminal device which comprises a storage section for storing therein the name of municipalities and corresponding toll numbers, a means for retrieving the name of municipalities from the storage section according to the toll number inputted from an input means, and a means for displaying the name of municipalities.

According to a second aspect of the present invention, there is provided a portable telephone terminal device, which further comprises, a means for retrieving a toll number from the storage section, according to the name of municipalities inputted from the input means, and a means for displaying the toll number which is retrieved.

According to a third aspect of the present invention, there is provided a portable telephone terminal device which comprises a state discrimination means for discriminating whether information inputted from an input means is a toll number or a name of municipalities, a storage means for storing data of name of municipalities and toll number, a retrieval means, for retrieving toll numbers or names of municipalities according to entered data inputted from input means and a display means for displaying data which is retrieved.

According to a fourth aspect of the present invention,, there is provided a portable telephone terminal device, wherein it is selected whether he or she inputs a toll number or the name of a municipality from the input means by the fact that he or she sets the input means to a dialing mode or a character input mode respectively, and the state discrimination means discriminates whether information inputted from the input means is a toll number or the name of a municipality while detecting this mode.

According to a fifth aspect of the present invention, there is provided a portable telephone terminal device, wherein when a predetermined retrieval key is pressed down in the input means, the retrieval means starts retrieval of the storage section with input information as a retrieval key, while until the retrieval key is pressed down, there is implemented input and editing of numerals or a character code from the input means.

According to a sixth aspect of the present invention, there is provided a portable telephone terminal device, wherein when the retrieval means implements the retrieval of the name of a municipality, the retrieval means retrieves the name of a municipality from a telephone number stored in a call history containing incoming and outgoing calls and/or from a telephone number stored in a re-dialing function.

According to a seventh aspect of the present invention, there is provided a storage medium storing therein a program for executing respective steps (a) to (d) by means of a computer of a portable telephone, which comprises the steps of:

(a) discriminating whether information inputted by an input means is a toll number or the name of a municipality, while detecting mode of the input means which is set either as a dialing mode or a character input mode in accordance with the fact that a retrieval is performed by either a toll number or the name of a municipality,

(b) retrieving the name of a municipality corresponding to an inputted toll number from a storage section for storing therein data of the name of a municipality and toll numbers, when there is judged that a toll number is inputted from the input means, at the case where pressing down of predetermined retrieval key by the input means is detected to input the toll number,

(c) retrieving a toll number corresponding to an inputted name of a municipality from a storage section storing therein data of the names of municipalities and toll numbers, when there is judged that the name of a municipality is inputted from the input means, at the case where pressing down of predetermined retrieval key by the input means is detected to input the name of a municipality, and

(d) controlling so as to display retrieved data to a display output device.

CONFIGURATION OF ENFORCEMENT OF THE INVENTION

In the desirable configuration of the invention of a portable telephone, referring to Fig. 1, there is provided an input means (1), a state discrimination means (2) for discriminating whether information inputted from the input means (1) is a telephone number (toll 5 number) or the name of a municipality, a storage section (4) for storing the name of municipalities and the corresponding toll

numbers, a retrieval means (3), means for retrieving the name of a municipality from the storage section (4) when a telephone number is inputted from the input means (1), means for retrieving the telephone number corresponding to the inputted name of a municipality from the storage section (4), and a display means (5) for displaying data which is retrieved.

In the desirable configuration of the enforcement, when information inputted from the input means (1) is a toll number, a dialing mode is set, when information is the name of a municipality, a character input mode is set. The state discrimination means (2) discriminates whether the information inputted from the input means (1) is the toll number or the name of a municipality while detecting this mode.

In the desirable configuration of the enforcement, when a predetermined retrieval key is pressed down in the input means (1), the retrieval means (3) starts retrieval of the storage section (4) with an input information as a retrieval key, while until the retrieval key is pressed down, input and editing of numerals and character code from the input means (1) are implemented.

In the desirable configuration of the enforcement, the retrieval means (3) implements, at the time of retrieval of the name of municipalities, retrieval of telephone number from a telephone number stored in terminating history function for storing therein telephone number of an incoming call, or from a telephone number stored in re-dialing function.

In the desirable configuration of the enforcement, following each step (a) to (d) can be realized by a program which is executed in the processing elements (computer) of the control section (10). The program is stored in a storage medium such as ROM (Read Only Memory), Memory Card and so forth. The content of the storage medium is loaded on a memory such as RAM and so forth, thus being executed on the computer.

(a) discriminating whether an information inputted from the input means is a toll number or the name of a municipality, while detecting the mode of the input means (1), which is set as either a dialing mode or a character input mode in answer to either the retrieval of a toll number or the name of a municipality;

(b) retrieving the name of a municipality corresponding to the inputted toll number from the storage section (4) storing therein data of the name of a

municipality and corresponding toll number, thereto when it is found that the toll number is inputted from the input means (1) since the user inputs the toll number, continuously, the user presses down a predetermined retrieval key;

(c) retrieving the toll number corresponding to the inputted name of a municipality from the storage section (4), storing therein data of the name of a municipality and corresponding toll number, thereto when there is discriminated that the name of municipalities is inputted from the input means (1) since the user inputs the name of municipalities, continuously, the presses down a predetermined retrieval key; and

(d) controlling so as to display the retrieved data on a display device (5).

The above and further objects and novel features of the invention will be more fully understood from the following detailed description when the same is read in connection with the accompanying drawings. It should be expressly understood, however, that the drawings are for purpose of illustration only and are not intended as a definition of the limits of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a view showing a configuration of an embodiment of the present invention; and

Fig. 2 is a flowchart showing a processing flow of the embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

A preferred embodiment of the present invention will be described in accordance with the accompanying drawings. Fig. 1 is a view showing a configuration of an embodiment of the present invention. Referring to Fig. 1, a portable telephone terminal with a toll number retrieval function of the present embodiment comprises a key input means 1 for inputting characters and numerals such as telephone numbers and names of municipalities and so forth, a control section 10 for performing retrieval processing and so forth due to program control, and a display system output device 5 displaying data retrieved by the control section 10.

The control section 10 is provided with a state discrimination means 2 for discriminating whether a character string inputted by the key input means 1 is a telephone number (toll number) or the name of a municipality, a toll number table 4 in which the names of municipalities or toll numbers is stored therein, and a

4 in which the names of municipalities or toll numbers is stored therein, and a table retrieval means for retrieving data of the names of municipalities or toll numbers stored in the toll number table 4.

Fig. 2 is a flowchart for explaining a processing flow of the embodiment of the present invention, that is, a view showing flowchart of a program incorporated in the control section 10. There will be described operation of the present embodiment of the invention referring to Figs. 1 and 2.

The user of the portable telephone selects whether he retrieves a toll number or he retrieves a name of municipalities by using the key input means 1.

When the user retrieves a toll number, the user inputs the name of a municipality of the object (name of place) by setting a character input mode by the key input means 1 (STEP S1, S2).

When the input of the name of municipalities is completed, the user inputs a retrieval key predetermined beforehand, which is provided for the sake of retrieval at the key input means 1.

In STEP S3, it is judged whether or not the retrieval key is pressed down. The present invention is capable of performing input of characters and correction thereof by using the key input means 1 until the retrieval key is pressed down.

When it is recognized that the retrieval key is pressed down (YES branch of STEP S3), there is implemented retrieval of the toll number (STEP S4).

When corresponding toll number is retrieved (YES branch of STEP S5), there is displayed the toll number retrieved beforehand by the display system output device 5 (STEP S6). On the other hand, when the corresponding toll number is not retrieved in the toll number retrieval processing of STEP S4 (NO branch of STEP S5), there is displayed the matter that there is no corresponding data to the display system output device 5 (STEP S7), thus returning to input state of the name of a municipality, again (STEP S2).

Furthermore, when the user retrieves the name of a place, the user inputs the toll number of the object while setting a dialing input mode by using the key input means 1 in order to input the toll number (STEP S1, S8).

When the input of the toll number is completed, the user inputs the retrieval key predetermined beforehand, which is provided for the key input means 1 for retrieval. In STEP S9, there is judged whether or not the retrieval key

is pressed down. It is capable of being performed input and correction of the toll number until when the retrieval key is pressed down (NO branch of STEP S9).

When there is recognized that the retrieval key is pressed down (YES branch of STEP S9), the retrieval of the name of municipalities is implemented (STEP S10). The portable telephone terminal with toll number retrieval function is constituted that, at this time, it is capable of retrieving the name of a municipality from a telephone number stored in function (terminating history) for storing telephone number of a call originating side at the time of terminating, or a telephone number stored in redialing function.

When the corresponding name of municipalities is retrieved (YES branch of STEP S11), there is displayed the whole name of the municipality retrieved beforehand to the display system output device 5 (STEP S12). On the other hand, if the corresponding name of municipalities is not retrieved (NO branch of STEP S11), there is displayed that there is no corresponding data therein, on the display system output device 5 (STEP S13), thus returning to input state of a toll number again (STEP S8).

Hereinafter, there will be described the processing of a retrieval of the toll number (0495) of Kamikawa Machi (Saitama Prefecture) by way of a retrieval of a toll number. The user inputs Kamikawa Machi while setting a character input mode by using the key input means 1 in order to input Kamikawa Machi (STEP S1, S2). The retrieval of the toll number is implemented while pressing down the retrieval key after inputting (STEP S3, S4). When the toll number (0495) of Kamikawa Machi is retrieved, (0495) is displayed on the display system output device 5 (STEP S5, S6).

On the other hand, when the toll number can not be retrieved caused by an error of character input or the like, displaying on the display output device that there is no corresponding data therein, thus returning to character input screen again, subsequently, retrieval is implemented again after correction of character input (STEP S5, S7, S2).

Next, there will be described processing for retrieving corresponding name of municipalities to (0492) by way of retrieval of a name of municipalities. At this case, the user inputs (0492) while setting mode to dialing input mode by using the key input means 1 in order to input (0492) (STEP S1, S8). There is implemented

the retrieval of the name of municipalities while pressing down the retrieval key after dialing input (STEP S9, S10). Then, when the corresponding name of municipalities to (0492) is retrieved, displaying the whole corresponding names of municipalities on the display system output device 5 (STEP S11, S12).

On the other hand, the corresponding name of municipalities can not be retrieved caused by an error of dialing input or the like, there is displayed on the display system out put device 5 that there is no corresponding data, thus returning to the dialing input screen again, subsequently, retrieving again after correction of the error (STEP S11, S13, S8).

The portable telephone of the present embodiment is suitable for use in the case where when the user makes a journey and the user intends to hear a weather forecast for the end destination of his journey.

There will be described another embodiment of the present invention. When the function of postal code discrimination, which is used in a post office, is utilized in the toll number retrieval of the present invention, it is capable of a postal code retrieval function.

As described above, according to the present invention, when a toll number is unknown although the exchange code is known, the user can obtain the toll number immediately, thus there is the effect that serviceable characteristic of the portable telephone is improved.

Furthermore, according to the present invention, since it is capable of retrieving numbers from a terminating history or a redialing function, the user can retrieve the place where the communication partner performed a call and an area to which the partner makes a telephone call.

While preferred embodiments of the invention have been described using specific terms, such description is for illustrative purpose only, and it is to be understood that changes and variations may be made without departing from the spirit or scope of the following claims.